

SINKER

DESIGN BY HAY



An elemental looking light available as either a small or large pendant. The fabric cord comes with a magnetic moulded ceiling cap in a textured finish. The ABS convex diffuser emits a warm, even illumination.

PRODUCT DETAILS

- / Part of a progressive and technologically advanced lighting collection.
- / A flexible, uncomplicated directional pendant lamp in both large and small sizes.
- / CE approved.
- / Supplied with a replaceable standard E27 LED dimmable bulb with an estimated life span of 25.000 hours of use.
- / The fitting can be used in conjunction with a number of standard wall mounted dimming control units.
- / Suitable for both private and office environments.
- / Qualified for contract use.
- / For indoor use only.

HAY

MATERIAL

LAMP SHADE / Injection moulded ABS.

DIFFUSER / Injection moulded ABS.

CORD / Fabric cord.

CEILING CAP / Injection moulded ABS.

COLOUR & FINISH

Please note that the colour codes are indicative.

Available in 4 different colours.

- / Soft black (RAL 9004)
- / Dusty grey (RAL 7037)
- / Oxide red (NCS S 4050-Y90R)
- / Cream white (RAL 9010)



DIMENSIONS

SMALL


DIAMETER / 23 cm / 9"

HEIGHT / 19 cm / 7.5"

LARGE

DIAMETER / 37,5 cm / 14.8"

HEIGHT / 35 cm / 13.8"



TECHNICAL SPECIFICATIONS

SMALL

- / LIGHT SOURCE* / LED E27 (A19)
- / POWER (watts) / 10,5W
- / DIMMABLE / No
- / POWER SUPPLY / 220-240V AC at 50-60Hz
UK/EU plug mounted adapter
- / CORD LENGTH / 400 cm
- / SWITCH / No

*Bulb included.

TEST SPECIFICATIONS*

- / FLUX (lumens) / 810lm
- / CCT (kelvin) / 2800k, warm white
- / CRI (1-100) / 85

*Photometrics and the specification shown is taken using the recommended LED E27 bulb fitted in the production luminaire.

CERTIFICATIONS


CE approved: This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN / IEC standards which relate specifically to electrical lighting products including:

- / EN 55015:2013 (radio disturbance)
- / EN 61547:2009 (EMC immunity)
- / EN 61000-3-2:2014 (EMC compatibility)
- / EN 61000-3-3:2013 (EMC compatibility)
- / EN 60598-2-4:1997 (portable luminaires)
- / EN 60598-1:2015 (general requirements)
- / EN 62493:2010 (human exposure to EMC)

PHOTOMETRICS



DOWNLOADS

2D files, 3D files and packshots are available in our imagebank at hay.com.

Care and maintenance instructions and CE attestation of conformity certificates are available at hay.com.

An overview of the complete HAY lighting collection and accessories, can be found at hay.dk/en/contract/products/lighting.

TECHNICAL SPECIFICATIONS

LARGE

- / LIGHT SOURCE* / LED E27 (A19)
- / POWER / 13W
- / DIMMABLE / No
- / POWER SUPPLY / 220-240V AC at 50-60Hz
UK/EU plug mounted adapter
- / CORD LENGTH / 400 cm
- / SWITCH / No

*Bulb included.

TEST SPECIFICATIONS*

- / FLUX (LUMENS) / 1055lm
- / CCT (KELVIN) / 2800k, warm white
- / CRI (1-100) / 85

*Photometrics and the specification shown is taken using the recommended LED E27 bulb fitted in the production luminaire.

CERTIFICATIONS


CE approved: This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN / IEC standards which relate specifically to electrical lighting products including:

- / EN 55015:2013 (radio disturbance)
- / EN 61547:2009 (EMC immunity)
- / EN 61000-3-2:2014 (EMC compatibility)
- / EN 61000-3-3:2013 (EMC compatibility)
- / EN 60598-2-4:1997 (portable luminaires)
- / EN 60598-1:2015 (general requirements)
- / EN 62493:2010 (human exposure to EMC)

PHOTOMETRICS



DOWNLOADS

2D files, 3D files and packshots are available in our imagebank at hay.com.

Care and maintenance instructions and CE attestation of conformity certificates are available at hay.com.

An overview of the complete HAY lighting collection and accessories, can be found at hay.dk/en/contract/products/lighting.

HAY