


Design House
Stockholm



Assembly Instructions
Fyr Kerosene Lamp (2750-9200)

ATTENTION:

Please always place the lamp on a flat, stable surface. The lamp should not be tilted over 45 degrees both when in use and during storage. The oil container of this kerosene lamp is designed to be in clear glass, to provide clear visibility of the amount of lamp oil. When the lamp is lit, the glass tube acts as a chimney and emits very hot air stream. Therefore, do not place the lamp near flammable materials, such as curtains. Always leave an area of one meter free above the lamp. Please handle the lamp with care. Use the wick screw as support for a better grip while lifting and moving the lamp.

WARNING: Keep the kerosene lamp outside the reach of children, both when in use and during storage. Do not leave burning lamps unsupervised or near children and pets.

WARNING: In case of small children, just sip of lamp oil or even sucking the wick, may lead to life threatening lung damage.

WARNING: If lamp oil is swallowed, do not induce vomiting. Seek medical advice immediately or contact a poison information center and show these warnings.

FUEL:

We recommend using fuel that consists of 100% pure paraffin oil. Pure kerosene (lamp oil) minimizes the risk of oozing and unpleasant odors. If the product is used correctly, it is normally not necessary to change the wick (last several years), since it is the fuel that burns and not the wick. Please make sure the lamp doesn't sit unused for a long time.

WICK:

Please note that the wick is consumable. The replacement of the wick (1 3/8 inch wide) can easily be found in oil lamp stores. The wick needs to be replaced when it has become dry and hard. Pull the old wick out from the bottom of the burner (please do not use the wick screw, as the gears may be damaged). Insert the new wick from the bottom of the burner and turn the wick screw clockwise until the gears attach to the wick. It is important to trim the wick with a pair of scissors to obtain the same level of the flame all the way round.

INSTRUCTIONS – LIGHT UP:

1-2. Remove the glass tube and unscrew the burner (metal cone) from the glass bottle.

3. Fill the oil container with lamp oil (max 500 ml).


4. Screw the burner (metal cone) back on and let the wick soak up the lamp oil fully (up to 24 hours for the first usage).

5-7. Light the wick and put on the glass tube. Adjust the wick so that 1-2 mm is visible. If the wick is turned up too high, the wick itself burns, the flame becomes too high and soot forms in the glass tube.


INSTRUCTIONS – TURN OFF:

8-9. Blow diagonally down into the glass tube or turn the wick down until the flame goes out. Please be aware that the glass tube will be very hot after the lamp was in use.



1



2





3




4

5





6

7



8



9

designhousetockholm.com
@designhousetockholm