

Audo

COPENHAGEN



TUBULAIRE COLLECTION
Designed by *Krøyer-Sætter-Lassen*

TUBULAIRE PENDANT
Designed by *Krøyer-Sætter-Lassen*

Anodised, rippled aluminium pendant light with a bronzed brass surface and a textile suspension cable.



H24
1780829



H48
1771829

PRODUCT TYPE
Pendant


COLLI
1

ENVIRONMENT
Indoor



DIMENSIONS

H28
H: 36 cm / 14,1"
H: 24 cm / 9,4"
Ø: 5,6 cm / 2,2"

H48
H: 72 cm / 27,5"
H: 48 cm / 18,8"
Ø: 5,6 cm / 2,2"



Ø: 5,6 cm / 2,2"



Ø: 5,6 cm / 2,2"

TECHNICAL SPECIFICATIONS

PRODUCTION PROCESS
The Tubulair pendant lamp features an aluminum extruded body with a refined anodized finish. The canopy is meticulously crafted through laser cutting, bending, and welding processes, ultimately adorned with a resilient powder-coated layer for durability and style.

COLOUR
Bronzed brass

MATERIALS
Aluminium

LIGHT SOURCE
GU10

WARRANTY
2 years

CANOPY
Black, ABS

CORD MATERIAL AND COLOUR
PVC, black

CORD LENGTH
400 cm / 157,5"

CLASSIFICATION
IP20, Class II

CERTIFICATIONS
CE and ETL certified, tests can be obtained upon request.

MATERIALS & MAINTENANCE
Please visit audocph.com for materials, care and maintenance instructions.

TUBULAIRE PENDANT CANOPY, 3
 Designed by *Krøyer-Sætter-Lassen*

Canopy with three pendant lights in rippled, anodised aluminium with a bronzed brass surface and a textile suspension cable.



CANOPY 3
 1787829

TECHNICAL SPECIFICATIONS

PRODUCT TYPE
 Canopy

COLLI
 1

ENVIRONMENT
 Indoor

DIMENSIONS
 W/D: 20 cm / 7,8"
 H1: 155 cm / 61"
 H2: 186,5 cm / 73,4"
 H3: 232,5 cm / 91,5"


PRODUCTION PROCESS
 The Tubulair pendant lamp features an aluminum extruded body with a refined anodized finish. The canopy is meticulously crafted through laser cutting, bending, and welding processes, ultimately adorned with a resilient powder-coated layer for durability and style.

COLOUR
 Bronzed brass

MATERIALS
 Aluminium

WARRANTY
 2 years

W/D: 20 cm / 7,8"



LIGHT SOURCE
 GU10

CANOPY
 Black, ABS


CORD MATERIAL AND COLOUR
 PVC, black

CORD LENGTH
 400 cm / 157,5"

CLASSIFICATION
 IP20, Class II

CERTIFICATIONS
 CE and ETL certified, tests can be obtained upon request.

MATERIALS & MAINTENANCE
 Please visit audocph.com for materials, care and maintenance instructions.



Suggested Cord Length
 Cord length max: 400 cm / 157,4"
 Cord length min: 10 cm / 3,9"

TUBULAIRE RAIL PENDANT
 Designed by *Krøyer-Sætter-Lassen*

Black powder-coated metal suspension rail with three or five large pendant lights in rippled, anodised aluminium with a bronzed brass surface and a textile suspension cable.



RAIL PENDANT 3
 1782829



RAIL PENDANT 5
 1783829

TECHNICAL SPECIFICATIONS

PRODUCT TYPE
 Canopy

COLLI
 1

ENVIRONMENT
 Indoor

DIMENSIONS
 N/A

PRODUCTION PROCESS
 The Tubulair pendant lamp features an aluminum extruded body with a refined anodized finish. The canopy is meticulously crafted through laser cutting, bending, and welding processes, ultimately adorned with a resilient powder-coated layer for durability and style.

COLOUR
 Bronzed brass

MATERIALS
 Aluminium

LIGHT SOURCE
 GU10

WARRANTY
 2 years

CANOPY
 Black, ABS

CORD MATERIAL AND COLOUR
 PVC, black

CORD LENGTH
 400 cm / 157,5"

CLASSIFICATION
 IP20, Class II

CERTIFICATIONS
 CE and ETL certified, tests can be obtained upon request.

MATERIALS & MAINTENANCE
 Please visit audocph.com for materials, care and maintenance instructions.

TUBULAIRE CHANDELIER
 Designed by *Krøyer-Sætter-Lassen*

Black powder-coated metal suspension light with 6, 20 or 38 pendants in rippled, anodised aluminium with a bronzed brass surface and a textile suspension cable.



CHANDELIER 6
 1784829



CHANDELIER 28
 1785829



CHANDELIER 38
 1786829

PRODUCT TYPE
 Chandelier

COLLI
 1

ENVIRONMENT
 Indoor

DIMENSIONS

Chandelier 6
 H: 227,5 cm / 67,7"
 W: 56,6 cm / 22,2"

Chandelier 28
 H: 55,9 cm / 36,4"
 W: 106,6 cm / 41,9"

Chandelier 38
 H: 169,5 cm / 66,7"
 W: 156,6 cm / 61,6"

TECHNICAL SPECIFICATIONS

PRODUCTION PROCESS
 The Tubulair pendant lamp features an aluminum extruded body with a refined anodized finish. The canopy is meticulously crafted through laser cutting, bending, and welding processes, ultimately adorned with a resilient powder-coated layer for durability and style.

COLOUR
 Bronzed brass

MATERIALS
 Aluminium

LIGHT SOURCE
 GU10

WARRANTY
 2 years

CANOPY
 Black, ABS


CORD MATERIAL AND COLOUR
 PVC, black

CORD LENGTH
 400 cm / 157,5"


CLASSIFICATION
 IP20, Class II

CERTIFICATIONS
 CE and ETL certified, tests can be obtained upon request.


MATERIALS & MAINTENANCE
 Please visit audocph.com for materials, care and maintenance instructions.




W: 56,6 cm / 22,2"




Suggested Cord Length
 Cord length max: 400 cm / 157,4"
 Cord length min: 10 cm / 3,9"




W: 106,6 cm / 41,9"



Suggested Cord Length
 Cord length max: 400 cm / 157,4"
 Cord length min: 10 cm / 3,9"



W: 156,6 cm / 61,6"



Suggested Cord Length
 Cord length max: 400 cm / 157,4"
 Cord length min: 10 cm / 3,9"

TUBULAIRE CHANDELIER
 Designed by *Krøyer-Sætter-Lassen*

Canopy for pendant lights in rippled, anodised aluminium with a bronzed brass surface and a textile suspension cable.



TECHNICAL SPECIFICATIONS

PRODUCT TYPE
Canopy

COLLI
1

ENVIRONMENT
Indoor

DIMENSIONS

Rail canopy
 H: 2 cm / 0,7"
 W: 130 cm / 51,1"

Canopy Ø57
 H: 2,2 cm / 0,8"
 Ø: 56,6 / 22,2"

Canopy Ø157
 H: 2,2 cm / 0,8"
 Ø: 156,6 / 61,6"

PRODUCTION PROCESS
 The Tubulair pendant lamp features an aluminum extruded body with a refined anodized finish. The canopy is meticulously crafted through laser cutting, bending, and welding processes, ultimately adorned with a resilient powder-coated layer for durability and style.

COLOUR
Bronzed brass

MATERIALS
Aluminium

LIGHT SOURCE
GU10

WARRANTY
2 years

CANOPY
Black, ABS

CORD MATERIAL AND COLOUR
PVC, black

CORD LENGTH
400 cm / 157,5"

CLASSIFICATION
IP20, Class II

CERTIFICATIONS
CE and ETL certified, tests can be obtained upon request.

MATERIALS & MAINTENANCE
Please visit audocph.com for materials, care and maintenance instructions.

