



Cuboluce classic



10x10 cm
4"x4"



luminaire		light source	
materials	technopolymers	source	LED
environment	interiors	socket	E14
mounting location	table	bulb included	sì
emission	indirect and concentrated light	number of bulbs	1
weight	0,5 kg	power	3W
voltage	220-240VAC	colour temperature	2.700K
insulation class	2	luminous flux	260 lm
plug	european 2 poles	energy label	
IP classification	IP20		
certifications	CE, RoHS, REACH		
design	Franco Bettonica, Mario Melocchi, 1972		

finish and code



white
cod 136



red
cod 137



black
cod 138



silk lacquer
denim
cod 251



silk lacquer
green
cod 250



silk lacquer
anthracite
cod 139



metallizzato
silver
cod 288



matt gold
cod 249




pentacolor
cod 294

special edition

Cuboluce classic



BRITTO®

Pinotti 76




10x10 cm
4"x4"



luminaire	
materials	technopolymers
environment	interiors
mounting location	table
emission	indirect and concentrated light
weight	0,5 kg
voltage	220-240VAC
insulation class	2
plug	european 2 poles
IP classification	IP20
certifications	CE  
design	Franco Bettonica, Mario Melocchi, 1972-2019

light source	
source	LED
socket	E14
bulb included	sì
number of bulbs	1
power	3W
colour temperature	2.700K
luminous flux	260 lm



finish and code



people
cod 252



graphic
cod 253




black
cod 254




white
cod 255

CINI & NILS

Cuboluce led




10x10 cm
4"x4"



luminaire	
materials	technopolymers
environment	interiors
mounting location	table
emission	indirect and concentrated light
weight	0,5 kg
voltage	100-240VAC
insulation class	2
plug	european 2 poles
IP classification	IP20
certifications	CE □
design	Franco Bettonica, Mario Melocchi, 1972-2013

light source	
source	LED
numero LED	1
power	2W
colour temperature	2.700K
CRI	90
energy label	



finish and code



white
cod 136



red
cod 137




black
cod 138



silk lacquer
denim
cod 251



silk lacquer
green
cod 250



silk lacquer
anthracite
cod 139



metallizzato
silver
cod 288




matt gold
cod 249



pentacolor
cod 294

CINI & NILS

Cuboluce wireless



10x10 cm
4"x4"



luminaire	
materials	technopolymers
environment	interiors
mounting location	table
emission	indirect and concentrated light
weight	0,55 kg
voltage	100-240VAC
insulation class	3
caricabatteria	a plug (european 2 poles)
IP classification	IP20
certifications	
design	Franco Bettonica, Mario Melocchi, 1972-2018

light source	
source	LED
numero LED	1
power	2W
colour temperature	2.700K
CRI	90
energy label	

battery	
tipo	lithium-ion
capacity	3.400 mAh
range	8 h
charging time	max 4 h

finish and code



white
cod 136



red
cod 137



black
cod 138



silk lacquer
denim
cod 251



silk lacquer
green
cod 250



silk lacquer
anthracite
cod 139



metallizzato
silver
cod 288



matt gold
cod 249



pentacolor
cod 294

CINI & NILS