

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** GUBI

**Supplier's address:** Héctor Mendoza, Orientkaj 18-20, 2150 Nordhavn, Denmark 18-20, 2150 Nordhavn Copenhagen, DK

**Model identifier:** 10077729-T30-5W-185-GBI Medium

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	E27		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes

## Product parameters

Parameter	Value	Parameter	Value
-----------	-------	-----------	-------

### General product parameters:


Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	5	Energy efficiency class	G
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	200 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 000
On-mode power ( $P_{on}$ ), expressed in W	5,0	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,00
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	90
Outer dimensions without separate control gear, light-	Height	185	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	30	
	Depth	30	
			See image in last page

ing control parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,459 0,412
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	79	Survival factor	0,90
the lumen maintenance factor	0,95		

(a) : not applicable;

(b) : not applicable;

# Spectrum Test Report



## Color Parameters:

Chromaticity Coordinate:  $x=0.5244$   $y=0.4109$  /  $u'=0.3048$   $v'=0.5374$   
CCT=2004K(Duv=-0.0008) Dominant WL:Ld =589.1nm Purity=80.7%  
Ratio:R=35.3% G=63.0% B=1.7% Peak WL:Lp=638.7nm FWHM=113.8nm  
Render Index:Ra=95.3  
R1 =99 R2 =98 R3 =98 R4 =99 R5 =98 R6 =92 R7 =92  
R8 =88 R9 =78 R10=96 R11=95 R12=84 R13=99 R14=99 R15=95

## Photo Parameters:

Flux = 220.3 lm Eff. : 48.68 lm/W Fe = 972.1 mW

## Electrical parameters:

V = 230.67 V I = 0.02137 A P = 4.526 W PF = 0.9180  
LEVEL:OUT WHITE:OUT

Status: Integral T = 1180 ms Ip = 26975 (41%)