

PAPER CUBE LAMP COLLECTION

PRODUCT FACT SHEET



PAPER CUBE LAMP COLLECTION


DESIGN BY BERTJAN POT, 2022

Designed by Bertjan Pot, Paper Cube is a series of elegant and functional cubed lamps. Inspired by the mechanics of constructing folded paper ornaments, Paper Cube has a flat-pack design that is easy to assemble. Constructed from a strong Japanese paper material, made from recycled PET bottles, and with FSC-certified beech legs, the translucent shade has a closed volume that creates a soft ambient glow. Available in table and floor lamp versions with a cord and bulb socket, the lamps use a standard retrofit bulb and do not come supplied with a bulb. Paper Cube's clean design and warm, atmospheric light make it suitable for a variety of rooms at home, as well as restaurants, cafés and other public spaces.


HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- Elegant and functional cubed lamps with origami-inspired design.
- The collection includes a table and a floor lamp.
- Paper Cube has a flat-pack design that is easy to assemble.
- Shade made of recycled PET bottles, with legs in FSC-certified beech.
- Designed for use with a replaceable standard retro fit LED bulb.
- Qualified for contract use.

DIMENSIONS



PAPER CUBE TABLE LAMP
WIDTH 21,5 CM | 8.5"
DEPTH 21,5 CM | 8.5"
HEIGHT 30,5 CM | 12"



PAPER CUBE FLOOR LAMP
WIDTH 36 CM | 14.25"
DEPTH 36 CM | 14.25"
HEIGHT 74 CM | 29.25"

MATERIALS

SHADE

Die cut ECOPET®, recycled PET bottles, 140g/sqm.

BASE

Varnished beech with TPE rubber feet.

CORD

Transparent PP.

OPTIONS

Incl. UK Plug converter.

COLOUR & FINISH

Please note that the colour code is indicative.



ECOPET
PAPER



VARNISHED
BEECH



CORAL RED
RUBBER FEET
RAL 3016

PAPER CUBE TABLE LAMP

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*

LED E14 (A15) (EU) | LED E12 (US, included), 5-8W (max. 8W), 500-800lm, 2700K Warm white

DIMMABLE

No

POWER SUPPLY

220-240V AC at 50/60Hz

IP

20

CORD LENGTH

240 cm

SWITCH

Inline switch, Transparent

*Bulb not included.

TEST SPECIFICATION OUTPUTS*


FLUX (LUMENS)

400-500lm

CCT (KELVIN) & CRI (1-100)

The levels will vary depending on the type of bulb used in the lamp.


PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 55015:2013 (radio disturbance)
- IEC 60598-2-4:2017 (portable luminaires)
- IEC 60598-1:2020 (general requirements)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO DIGITAL LIBRARY](#)

PAPER CUBE FLOOR LAMP

TECHNICAL SPECIFICATIONS


RECOMMENDED LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	CORD LENGTH	SWITCH
LED E27 (A19) (EU) LED E26 (US, included), 10-13W (max. 15W), 1000-1500lm, 2700K Warm white	No	220-240V AC at 50/60Hz	20	250 cm	Inline floor switch, Transparent

*Bulb not included.

TEST SPECIFICATION OUTPUTS*

FLUX (LUMENS)	CCT (KELVIN) & CRI (1-100)
500-600lm	The levels will vary depending on the type of bulb used in the lamp.


PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 55015:2013 (radio disturbance)
- IEC 60598-2-4:2017 (portable luminaires)
- IEC 60598-1:2020 (general requirements)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO DIGITAL LIBRARY](#)